# Ferdinand Bilstein GmbH + Co. KG

Date printed 21.02.2023, Revision 21.02.2023



Version 8.0. Supersedes version: 7.0 Page 1 / 13

SEC	TION 1: Identification of the subst	ance/mixture and of the company/undertaking
1.1	Product identifier	
		Gear oil 75W - 80
		Article number: 40580
1.2	Relevant identified uses of the s	ubstance or mixture and uses advised against
1.2.1	I Relevant uses	
		Gearbox oil
122	2 Uses advised against	
		None known.
1.3	Details of the supplier of the safe	-
	Company	Ferdinand Bilstein GmbH + Co. KG Wilhelmstr. 47
		58256 Ennepetal / GERMANY Phone +49 2333 911-0
		Finde +49 2333 911-0
		Homepage www.febi.com F-mail info@febi.com
	•••	
	Address enquiries to	
	Technical information	info@febi.com
	Safety Data Sheet	info@febi.com
1.4	Emergency telephone number	
	Advisory body	+49 (0)89-19240 (24h) (English)
SEC	TION 2: Hazards identification	
2.1	Classification of the substance of	or mixture [REGULATION (GB) CLP]
		No classification.
2.2	Label elements	
		The product is required to be labelled in accordance with regulation CLP.
	Hazard pictograms	none
	Signal word	none
	Hazard statements	
	Special labelling	EUH210 Safety data sheet available on request.
		Contains: Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched). EUH208 May produce an allergic reaction.
2.3	Other hazards	
	Environmental hazards	Does not contain any PBT or vPvB substances. Contains no ingredients with endocrine-disrupting properties.
	Other hazards	No particular hazards known.
SEC	TION 3: Composition / Information	n on ingredients
3.1	Substances	
0.1	not applicable	

not applicable

# Ferdinand Bilstein GmbH + Co. KG

Date printed 21.02.2023, Revision 21.02.2023



Version 8.0. Supersedes version: 7.0

Page 2 / 13

#### 3.2 Mixtures

### The product is a mixture.

CAS: 64742-54-7, GHS/CLP: Asp. To   1 - < 4.59 Polysulfides, di-tent CAS: 68937-96-2, GHS/CLP: Skin Se SCL [%]: >= 46: Skin 1 - < 2.5	
CAS: 64742-54-7, GHS/CLP: Asp. To 1 - < 4.59 Polysulfides, di-tert CAS: 68937-96-2, GHS/CLP: Skin Se SCL [%]: >= 46: Ski 1 - < 2.5 Reaction products	EINECS/ELINCS: 265-157-1, EU-INDEX: 649-467-00-8, Reg-No.: 01-2119484627-25-XXXX bx. 1: H304 t-Bu EINECS/ELINCS: 273-103-3, Reg-No.: 01-2119540515-43
GHS/CLP: Asp. To   1 - < 4.59	bx. 1: H304 t-Bu EINECS/ELINCS: 273-103-3, Reg-No.: 01-2119540515-43
1 - < 4.59 Polysulfides, di-terr   CAS: 68937-96-2, GHS/CLP: Skin Se   SCL [%]: >= 46: Skin SCL   1 - < 2.5	rt-Bu EINECS/ELINCS: 273-103-3, Reg-No.: 01-2119540515-43
CAS: 68937-96-2,   GHS/CLP: Skin Se   SCL [%]: >= 46: SH   1 - < 2.5	EINECS/ELINCS: 273-103-3, Reg-No.: 01-2119540515-43
GHS/CLP: Skin Se   SCL [%]: >= 46: Skin   1 - < 2.5	
SCL [%]: >= 46: Sk   1 - < 2.5	
1 - < 2.5 Reaction products	kin Sens. 1B: H317
	of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and
amines, C12-14-all	931-384-6, Reg-No.: 01-2119493620-38
	Tox. 4: H302 - Eye Dam. 1: H318 - Skin Sens. 1: H317 - Aquatic Chronic 2: H411
	e Dam. 1: H318, >= 9.39: Skin Sens. 1B: H317, > 50: Eye Irrit. 2: H319
0.1 - < 1 Magnesium metab	
	EINECS/ELINCS: 237-235-5, Reg-No.: 01-2120769073-53-XXXX
GHS/CLP: Skin Se	
SCL [%]: > 15: Skin	
Comment on component parts	Contains less than 3% w/w DMSO-extract (only for mineral oils) Substances of Very High Concern - SVHC: substances are not contained or are below 0.1% For full text of H-statements: see SECTION 16.
CTION 4: First aid measures	
Description of first aid measures	S
General information	Change soaked clothing.
Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
Skin contact	In case of contact with skin wash off immediately with soap and water. Consult a doctor if skin irritation persists.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Do not induce vomiting. Consult a doctor immediately. Rinse out mouth and give plenty of water to drink.
Most important symptoms and e	effects, both acute and delayed
	Headache
Indication of any immediate med	lical attention and special treatment needed
	- · · · · · · · · · · · · · · · · · · ·
	Treat symptomatically.
	Treat symptomatically. Forward this sheet to your doctor.
CTION 5: Fire-fighting measures	

### 5.1 Extinguishing media

Suitable extinguishing media	Foam, dry powder, water spray jet, carbon dioxide.
Extinguishing media that must not be used	Full water jet.

# Ferdinand Bilstein GmbH + Co. KG

Date printed 21.02.2023, Revision 21.02.2023



Version 8.0. Supersedes version: 7.0

Page 3 / 13

5.2	Special hazards arising from the	
		Risk of formation of toxic pyrolysis products. Carbon monoxide (CO)
		Sulphur oxides (SOx).
		Nitrogen oxides (NOx).
5.3	Advice for firefighters	
		Do not inhale explosion and/or combustion gases. Use self-contained breathing apparatus.
		Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.
SEC	TION 6: Accidental release measu	Ires
6.1	Personal precautions, protective	e equipment and emergency procedures Some risk of slipping due to spillage of product.
		Forms slippery surfaces with water.
6.2	Environmental precautions	
		Prevent spread over a wide area (e.g. by containment or oil barriers).
		Do not discharge into the drains/surface waters/groundwater.
6.3	Methods and material for contain	nment and cleaning up
		Take up with absorbent material (e.g. oil binder). Dispose of absorbed material in accordance within the regulations.
6.4	Reference to other sections	
0.4		See SECTION 8+13
SEC	TION 7: Handling and storage	
7.1	Precautions for safe handling	No special measures necessary if used correctly.
		Use only in well-ventilated areas.
		Use solvent-resistant equipment.
		The product is combustible.
		Do not eat, drink or smoke when using this product. After worktime and before work breaks the affected skin areas must be thoroughly cleaned.
		Use barrier skin cream.
		Contaminated work clothing should not be allowed out of the workplace. Take off contaminated clothing and wash before reuse.
7.2	Conditions for safe storage, incl	uding any incompatibilities
		Keep only in original container. Prevent penetration into the ground.
		Do not store together with oxidizing agents.
		Keep container in a well-ventilated place. Keep container tightly closed.
7.3	Specific end use(s)	
		See product use, SECTION 1.2
		• •

## Ferdinand Bilstein GmbH + Co. KG

Date printed 21.02.2023, Revision 21.02.2023



Version 8.0. Supersedes version: 7.0 Page

Page 4 / 13

### **SECTION 8: Exposure controls / personal protection**

### 8.1 Control parameters

# Ingredients with occupational exposure limits to be monitored (GB)

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract)
CAS: 64742-54-7, EINECS/ELINCS: 265-157-1, EU-INDEX: 649-467-00-8, Reg-No.: 01-2119484627-25-XXXX
Long-term exposure: 5 mg/m <sup>3</sup> , oil mist
Short-term exposure (15-minute): 10 mg/m <sup>3</sup>

#### DNEL

Des	stillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
Ind	ustrial, inhalative, Long-term - local effects, 5.58 mg/m <sup>3</sup>
Ind	ustrial, dermal, Long-term - systemic effects, 970 μg/kg bw/day
Ind	ustrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup>
gen	neral population, oral, Long-term - systemic effects, 740 μg/kg bw/day
gen	neral population, inhalative, Long-term - local effects, 1.19 mg/m <sup>3</sup>
	action products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and ines, C12-14-alkyl (branched)
Ind	ustrial, dermal, Long-term - systemic effects, 12.5 mg/kg bw/d (AF=120)
Ind	ustrial, inhalative, Long-term - systemic effects, 4.28 mg/m <sup>3</sup> (AF=30)
gen	neral population, oral, Long-term - systemic effects, 0.25 mg/kg bw/d (AF=600)
gen	neral population, dermal, Long-term - systemic effects, 6.25 mg/kg bw/d (AF=240)
gen	neral population, inhalative, Long-term - systemic effects, 1.09 mg/m <sup>3</sup> (AF=60)
Pol	ysulfides, di-tert-Bu, CAS: 68937-96-2
Ind	ustrial, dermal, Long-term - systemic effects, 3.33 mg/kg bw/day
Ind	ustrial, inhalative, Long-term - systemic effects, 14.5 mg/m <sup>3</sup>
gen	neral population, dermal, Long-term - systemic effects, 1.66 mg/kg bw/day
gen	neral population, inhalative, Long-term - systemic effects, 2.6 mg/m <sup>3</sup>
Ma	gnesium metaborate, CAS: 13703-82-7
Ind	ustrial, dermal, Long-term - systemic effects, 7.78 mg/kg bw/day
Ind	ustrial, inhalative, Long-term - systemic effects, 5.49 mg/m <sup>3</sup>
gen	neral population, dermal, Long-term - systemic effects, 0.278 mg/kg bw/day
gen	neral population, oral, Long-term - systemic effects, 0.28 mg/kg bw/day
gen	neral population, inhalative, Long-term - systemic effects, 0.82 mg/m <sup>3</sup>

#### PNEC

Substance	
Destillates (petroleu	n), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
oral (food), 9.33 mg/	kg
Reaction products o amines, C12-14-alky	f bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and l (branched)
soil, 1.17 µg/kg dw	
sediment (seawater)	, 1.29 μg/kg dw
sediment (freshwate	r), 12.9 μg/kg dw
sewage treatment pl	ants (STP), 24.33 mg/L (AF=100)
seawater, 0.24 µg/L	(AF=500)

# Ferdinand Bilstein GmbH + Co. KG

Date printed 21.02.2023, Revision 21.02.2023



Version 8.0. Supersedes version: 7.0 Page

Page 5 / 13

reshwater, 2.4 μg/L (AF=50)
oral (food), 10 mg/kg dw (AF=300)
Polysulfides, di-tert-Bu, CAS: 68937-96-2
reshwater, 0.24 µg/L
seawater, 0.024 µg/L
sewage treatment plants (STP), 4.51 mg/L 4.51 mg/L
sediment (freshwater), 0.94 mg/kg sediment dw 4.51 mg/L
sediment (seawater), 0.094 mg/kg sediment dw 4.51 mg/L
soil, 1513 mg/kg soil dw 4.51 mg/L
Magnesium metaborate, CAS: 13703-82-7
sediment (seawater), 1.38 mg/kg sediment dw
reshwater, 0.05 mg/L
seawater, 0.05 mg/L
sediment (freshwater), 1.38 mg/kg sediment dw
soil, 0.247 mg/kg soil dw
oral (food), 1.67 mg/kg food
sewage treatment plants (STP), 100 mg/L

### 8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	Safety glasses. (EN 166:2001)
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. > 0.4 mm: Nitrile rubber, >120 min (EN 374-1/-2/-3).
Skin protection	Light protective clothing.
Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Do not inhale gases/vapours/aerosols. Avoid contact with eyes and skin.
Respiratory protection	not applicable
Thermal hazards	No information available.
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

## Ferdinand Bilstein GmbH + Co. KG

Date printed 21.02.2023, Revision 21.02.2023



Version 8.0. Supersedes version: 7.0 Page

Page 6 / 13

## **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

internation en saore physical and	enennear propertiee
Physical state	liquid
Form	liquid
Color	yellowish
Odor	characteristic
Odour threshold	No information available.
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	not applicable
Flash point [°C]	190 (EN ISO 2592)
Flammability (solid, gas) [°C]	Not explosive.
Lower explosion limit	not self-igniting
Upper explosion limit	not applicable
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	No information available.
Density [g/cm³]	0.88 (DIN 51757) (20 °C / 68,0 °F)
Relative density	not determined
Bulk density [kg/m³]	not applicable
Solubility in water	immiscible
Solubility other solvents	No information available.
Partition coefficient [n-octanol/water]	No information available.
Kinematic viscosity	49.8 mm²/s 40°C (DIN 51562)
Relative vapour density	No information available.
Evaporation speed	No information available.
Melting point [°C]	No information available.
Auto-ignition temperature [°C]	not applicable
Decomposition temperature [°C]	No information available.
Particle characteristics	No information available.
Other information	

9.2 Other information

No information available.

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

See SECTION 10.3.

#### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

#### 10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents. Reactions with strong alkalies. Reactions with strong acids.

#### 10.4 Conditions to avoid

Strong heating.

# Ferdinand Bilstein GmbH + Co. KG

Date printed 21.02.2023, Revision 21.02.2023



Version 8.0. Supersedes version: 7.0 Page 7 / 13

10.5 Incompatible materials

Strong oxidizing agent. See SECTION 10.3.

#### 10.6 Hazardous decomposition products

No hazardous decomposition products known.

## Ferdinand Bilstein GmbH + Co. KG

Date printed 21.02.2023, Revision 21.02.2023



Version 8.0. Supersedes version: 7.0

Page 8 / 13

### **SECTION 11: Toxicological information**

Product

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute oral toxicity

ATE-mix, oral, > 5000 mg/kg

Substance	
Destillates (petr	pleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
LD50, oral, Rat	5000 mg/kg bw
	ts of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and alkyl (branched)
LD50, oral, Rat	2000 mg/kg
Polysulfides, di-	ert-Bu, CAS: 68937-96-2
LD0, oral, Rat, 2	000 mg/kg bw (OECD 401)
Magnesium me	aborate, CAS: 13703-82-7

LD50, oral, Rat, >2000 mg/kg bw (OECD 420)

#### Acute dermal toxicity

Product

dermal, Based on the available information, the classification criteria are not fulfilled.

Ibstance	
estillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 647	742-54-7
950, dermal, Rabbit, 2000 - 5 00 mg/kg bw	
lysulfides, di-tert-Bu, CAS: 68937-96-2	
00, dermal, Rat, 2000 mg/kg bw (OECD 402)	
agnesium metaborate, CAS: 13703-82-7	
050, dermal, Rat, 2000 mg/kg bw	

#### Acute inhalational toxicity

Product	
inhalative, Based on the available information, the classification criteria are	not fulfilled.
Substance	
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMS	SO-extract), CAS: 64742-54-7
LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h	

Serious eye damage/irritation	Toxicological data of complete product are not available. No classification. Non-irritant (rabbit). The labelling was carried out based on substance-specific concentration limits.
Skin corrosion/irritation	Based on the available information, the classification criteria are not fulfilled.
Respiratory or skin sensitisation	No sensitizing effects known. Analogous to product with a similar composition. May produce an allergic reaction.
Specific target organ toxicity — single exposure	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — repeated exposure	Based on the available information, the classification criteria are not fulfilled.
Substance	

# Ferdinand Bilstein GmbH + Co. KG

Date printed 21.02.2023, Revision 21.02.2023



Version 8.0. Supersedes version: 7.0

Page 9 / 13

		Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7	
		NOAEL, dermal, Rabbit, 1000 mg/kg bw/day	
		NOAEL, dermal, Rat, 30 - 2000 mg/kg bw/day	
		NOAEC, inhalative, Rat, 980 mg/m <sup>3</sup> air	
		LOAEL, oral, Rat, 12	5 mg/kg bw/day
		Magnesium metaborate, CAS: 13703-82-7	
		NOAEL, oral, Rat, 12	25 mg/kg bw/day
	Mutagenicity		Based on the available information, the classification criteria are not fulfilled.
	Reproduction toxi	city	Based on the available information, the classification criteria are not fulfilled.
	- Fertility		
		Substance	
		Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7	
		NOAEL, oral, Rat, 1000 mg/kg bw/d (Effect on fertility), no adverse effect observed	
	- Development	Development	
		Substance	
		Destillates (petroleun	n), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
		NOAEL, oral, Rat, 10	00 mg/kg bw/d (Effect on fertility), no adverse effect observed
	Carcinogenicity		Based on the available information, the classification criteria are not fulfilled.
	Aspiration hazard		Based on the available information, the classification criteria are not fulfilled.
	General remarks		
			The toxiclogical data are those of the pure product.
44.0	Information on a	then henerale	
11.2	Information on o		
	Endocrine disrupt		Contains no ingredients with endocrine-disrupting properties.
	Other information		none

## Ferdinand Bilstein GmbH + Co. KG

Date printed 21.02.2023, Revision 21.02.2023



Version 8.0. Supersedes version: 7.0 Page 10 / 13

**SECTION 12: Ecological information** 

### 12.1 Toxicity

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
EL50, (48h), Invertebrates, 10 g/L
NOELR, (14d), fish, 1 mg/L
LL50, (96h), Invertebrates, 10 g/L
LL50, (96h), fish, 100 mg/L
Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)
LC50, (96h), fish, 24 mg/l
EC50, (48h), Daphnia magna, 91.4 mg/l
Polysulfides, di-tert-Bu, CAS: 68937-96-2
LC50, (96h), Danio rerio, >0.088 mg/L (OECD 203)
EC50, (72h), Pseudokirchneriella subcapitata, 2.45 mg/L (OECD 201)
EC50, (24h), Daphnia magna, >0.27 mg/L (OECD 202)
Magnesium metaborate, CAS: 13703-82-7
EL50, (72h), Pseudokirchneriella subcapitata, >50mg/l (OECD 201)
EL50, (24h), Daphnia magna, >50mg/l (OECD 202)
LL50, (96h), Oncorhynchus mykiss, >50mg/l (OECD 203)

#### 12.2 Persistence and degradability

etermined
etermined
etermined
•

#### 12.3 Bioaccumulative potential

No information available.

#### 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

#### 12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

#### 12.7 Other adverse effects

Ecological data of complete product are not available. Do not discharge product unmonitored into the environment or into the drainage.

## Ferdinand Bilstein GmbH + Co. KG

Date printed 21.02.2023, Revision 21.02.2023



Version 8.0. Supersedes version: 7.0 Page 11 / 13

**SECTION 13: Disposal considerations** 

Air transport in accordance with IATA not applicable

#### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

	Product	
		In according to RoHS! Disposal in an incineration plant in accordance with the regulations of the local authorities.
	Waste no. (recommended)	130205* mineral-based non-chlorinated engine, gear and lubricating oils
	Contaminated packaging	
		Uncontaminated packaging may be taken for recycling. Packaging that cannot be cleaned should be disposed of as for product.
	Waste no. (recommended)	150110* packaging containing residues of or contaminated by hazardous substances
SEC	TION 14: Transport information	
14.1	UN number or ID number	
	Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.2	UN proper shipping name Transport by land according to ADR/RID	NO DANGEROUS GOODS
	Inland navigation (ADN)	NO DANGEROUS GOODS
	Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"
	Air transport in accordance with IATA	NOT CLASSIFIED AS "DANGEROUS GOODS"
14.3	Transport hazard class(es)	
	Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable

## Ferdinand Bilstein GmbH + Co. KG

Date printed 21.02.2023, Revision 21.02.2023



Version 8.0. Supersedes version: 7.0 Page 12 / 13

14.4	Packing group Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.5	Environmental hazards	
	Transport by land according to ADR/RID	no
	Inland navigation (ADN)	no
	Marine transport in accordance with IMDG	no
	Air transport in accordance with IATA	no
14.6	Special precautions for user	

Relevant information under SECTION 6 to 8.

#### 14.7 Maritime transport in bulk according to IMO instruments

not applicable

#### **SECTION 15: Regulatory information**

15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture	
	EEC-REGULATIONS	2008/98/EC 2000/532/EC); 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014
	TRANSPORT-REGULATIONS	ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2023)
	NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP.
	- Observe employment restrictions for people	Observe employment restrictions for mothers-to-be and nursing mothers. Observe employment restrictions for young people.
	- VOC (2010/75/CE)	not relevant
15.2	Chemical safety assessment	
		Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

## 16.1 Hazard statements (SECTION 3)

- H411 Toxic to aquatic life with long lasting effects.
- H318 Causes serious eye damage.
- H302 Harmful if swallowed.
- H412 Harmful to aquatic life with long lasting effects.
- H317 May cause an allergic skin reaction.
- H304 May be fatal if swallowed and enters airways.

### Ferdinand Bilstein GmbH + Co. KG

Date printed 21.02.2023, Revision 21.02.2023



Version 8.0. Supersedes version: 7.0 Page 13 / 13

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

- IUCLID = International Uniform ChemicaL Information Database
- IVIS = In vitro irritation score
- LC50 = Lethal concentration, 50% LD50 = Median lethal dose
- LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading

LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value - time-weighted average

TLV®STEL = Threshold limit value - short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

#### 16.3 Other information

**Classification procedure** 

Modified position

SECTION 11 been added: Contains no ingredients with endocrine-disrupting properties. SECTION 12 been added: Contains no ingredients with endocrine-disrupting properties.